



Pony Testing International Group



Report No.: MRI2B1CG3004997U3

MSDS Report

Sample Name
& Model

LiFePO₄ Battery Pack TPBAT12-10-L

Applicant

Tycon Systems, Inc

Address

Parsons, Scott of 930 W 14600 S Ste 600, Bluffdale, UT 84065



No.: MRI2B1CG3004997U3

Code: 5grxm3hry5



PONY 潘尼测试
Pony Testing International Group
Hotline: 400-888-8111 www.ponytest.com


北京分公司: (010) 83265980 杭州分公司: (0571) 86935667 深圳设计部: (0755) 83752708 台北分公司: (0974) 87736499
北京分公司: (010) 80455061 南京分公司: (025) 88958999 苏州分公司: (0512) 85221000 合肥分公司: (0551) 62843474
长沙分公司: (010) 80999989 重庆分公司: (023) 66847888 上海分公司: (021) 64891999 深圳分公司: (0755) 26050959
青岛分公司: (0532) 88788888 石家庄分公司: (0311) 85376668 天津分公司: (022) 62997900 武汉分公司: (027) 87520096
天津分公司: (022) 23607888 西安分公司: (029) 89608785 苏州汽车材料研究所: (0512) 62997900 佛山分公司: (0755) 26050959
长春分公司: (0431) 60520188 烟台分公司: (0535) 3460784-1 (0535) 3300 无锡分公司: (0510) 62997900 广州分公司: (020) 29226310
沈阳分公司: (024) 22811085 成都分公司: (028) 8298073 武汉分公司: (027) 83497127 南宁分公司: (0771) 6518818
大连分公司: (0411) 83328810 呼和浩特分公司: (0471) 3459026 武汉分公司: (027) 83497127 厦门分公司: (0592) 6558848
南京分公司: (025) 83627765 成都分公司: (028) 87702708 杭州分公司: (0571) 87219596

声明 Statement

1. 本证明/报告的结论仅对委托方所送样品负责。
The conclusion of the certificate/report is responsible for the provided sample only.
2. 委托方必须如实提供样品、申报和声明资料，并保证与实际相符，否则由委托方承担由此导致的全部后果和责任。
The applicant shall provide accurately and truly the description and statement of the sample, shall guarantee to match the sample and real situation which they provided and declared. Otherwise the application shall bear any relevant consequences and responsibility.
3. 如委托方提供的样品及相关资料存在造假、伪造等情形，所造成的一切后果和责任由委托方承担。
In case the sample and documents provided involved in the situation of false and forgery, any consequences and responsibility caused by this shall be undertaken by applicant.
4. 本证明/报告私自转让、盗用、冒用、涂改、未经本单位批准的复制（全文复制除外）或以其它任何形式的篡改均属无效，本单位将对上述行为追究其相应的法律责任。
The certificate/report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.
5. 本证明/报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.
6. 本单位有权在完成证明/报告后处理委托方所送样品。
PONY has the right to dispose the provided sample after approval of the certificate/report.

▲ 防伪说明:

- (1) 报告编号是唯一的;
- (2) 报告采用特制防伪纸张印制，纸张表面带有“PONY”防伪纹路，该防伪纹路不支持复印，即复印件不会带有“PONY”防伪纹路;
- (3) 报告采用的防伪纸张内部亦印有高科技“PONY”防伪水印，只有在验钞机等紫外光照射下方可显出无色透光防伪字样。

 全国服务热线
400-819-5688
WWW.PONYTEST.COM



北京实验室: (010) 83655000	郑州实验室: (0371) 69350670	成都地区检测中心: (028) 87702708	宁波实验室: (0574) 87736499
北京谱尼科技公司: (010) 80415661	蚌埠实验室: (0371) 80967099	常州实验室: (0851) 85221000	合肥实验室: (0551) 63843474
北京地区检测中心: (010) 82492998	南昌实验室: (0991) 6684186	上海实验室: (021) 64851999	深圳实验室: (0755) 26050909
青岛实验室: (0532) 88706866	石家庄实验室: (0311) 85376660	苏州实验室: (0512) 62997900	潍坊检测中心: (0536) 2620909-846
天津实验室: (022) 23607888	西安实验室: (029) 89608785	苏州汽车检测实验室及儿童安全座椅	谱尼深圳通明: (0755) 27673339
长春实验室: (0431) 80530198	西安检测技术有限公司: (029) 8122000	绍兴实验室: (0512) 67997900	广州实验室: (020) 89224310
沈阳实验室: (024) 22811886	西安检测技术有限公司: (029) 8629009	武汉实验室: (027) 83997127	南宁实验室: (0771) 5518818
大连实验室: (0411) 87336618	呼和浩特实验室: (0471) 3450005	武汉第四所: (027) 82318175	厦门实验室: (0592) 8568049
哈尔滨实验室: (0451) 58627755	威海实验室: (063) 87702708	杭州实验室: (0571) 87219096	



PONY

Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 1 of 11

Material Safety Data Sheet

Reference to ST/SG/AC.10/30/Rev.9 (GHS)

Section 1 - Chemical Product and Company Identification

Chemical Product Identification

Sample Name: LiFePO₄ Battery Pack

Sample Model: TPBAT12-10-L

Recommended Uses: N/A

Restrictions on Use: N/A

Supplier Name: Guangdong Sunbang Technology Co., Ltd

Address: Self-made No.1, Floor 4, Plant No.1, 199 Jinxing Road, Jianghai District, Jiangmen, Guangdong, China

Phone Number: 0755 23779109

FAX: 0755 23779109

E-mail: cathy@sunbanges.com

Emergency Phone Number: 0755 23779109

Section 2 - Hazards Identification

Emergency overview: This product is a battery. Intended use of the product should not result in exposure to the chemical substance. In case of rupture the below hazards exist.

Classification according to GHS

Acute toxicity, oral (4)

Skin corrosion/irritation (2)

Serious eye damage/eye irritation (2A)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Label elements

Hazard pictogram(s):



Signal word:

Warning

Hazard statement(s):

H302 Harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5668 www.ponytest.com

Pony Testing Group, Member ICA, IAF
Address: 11, 17th Floor, Beihang 1, Xiyuan Building, Yizhuang Park, Yongle
Road, Daxue Community, Dongmen District, Beijing, China
Phone: 010-51504980

北京分公司: (010) 51504980 天津分公司: (022) 59355670 无锡分公司: (0510) 87702758 宁波分公司: (0574) 87726459
 深圳分公司: (0755) 26009909 杭州分公司: (0571) 82967299 苏州分公司: (0512) 85231030 合肥分公司: (0551) 63842474
 成都分公司: (010) 82422992 重庆分公司: (023) 76484188 上海分公司: (021) 64951959 深圳分公司: (0755) 26009909
 青岛分公司: (0532) 88706866 南京分公司: (025) 1180376560 武汉分公司: (027) 62997930 成都分公司: (028) 26090944
 天津分公司: (022) 23627888 西安分公司: (029) 89668788 天津汽车检测研究院汽车安全检测 理化中心检测: (010) 27613329
 山东分公司: (0431) 93580188 安徽分公司: (0561) 8110093 成都分公司: (028) 89224210 广州分公司: (020) 89224210
 河南分公司: (0371) 22811886 河北分公司: (0311) 82907073 武汉分公司: (027) 62997127 南宁分公司: (0771) 5510810
 重庆分公司: (0411) 67326819 华中检测实验室: (0471) 3450025 武汉检测所: (027) 62318175 厦门分公司: (0592) 5568046
 常州分公司: (0481) 58627753 成都分公司: (028) 87702758 杭州分公司: (0571) 87219994



Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 2 of 11

H335 May cause respiratory irritation

Precautionary statement(s):**Prevention:**

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P271 Use only outdoors or in a well-ventilated area.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty water.

P321 Specific treatment (See additional emergency instructions).

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER, if you feel unwell.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11

Environmental hazards: See Section 12

Section 3 – Composition/Information on Ingredients

Chemical characterization: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Ferrous Phosphate Lithium	15365-14-7	476-700-9	29

PONY 谱尼测试
Pony Testing International Group

Hotline 400-819-5688 www.ponytest.com

Pony Testing Group Service Co., Ltd.
Address: No. 1 of Building 2, East City 2, Huasheng Industrial Park, Yongle
Road, Qianxi Community, Heze District, Shandong, China
Phone: 0530-202020

北京分公司: (010) 82055320 深圳分公司: (0371) 69356679 成都分公司: (0681) 8790758 宁波分公司: (0874) 47236099
 合肥分公司: (0510) 8043560 杭州分公司: (0571) 8960399 苏州分公司: (0561) 85221000 成都分公司: (028) 65845474
 武汉分公司: (027) 8492998 南京分公司: (025) 8441184 上海分公司: (021) 64851995 福州分公司: (0591) 26020929
 青岛分公司: (0532) 6636886 西安分公司: (029) 84376660 惠州分公司: (0752) 62997903 无锡分公司: (0510) 20000906
 天津分公司: (022) 29607884 烟台分公司: (0535) 6287783 常州分公司: (0519) 6287783 惠州分公司: (0752) 20000906
 长春分公司: (0431) 9650194 成都分公司: (028) 1200000 成都分公司: (0512) 62997903 广州分公司: (020) 89224210
 沈阳分公司: (024) 22811886 成都分公司: (028) 8229973 武汉分公司: (027) 82997127 南宁分公司: (0771) 5518816
 重庆分公司: (0411) 67326818 呼和浩特分公司: (0471) 3450025 武汉分公司: (027) 82318125 厦门分公司: (0592) 5566648
 贵阳分公司: (0451) 58627755 成都分公司: (230) 87702758 杭州分公司: (0571) 87219096



PONY

Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 3 of 11

Iron	7439-89-6	231-096-4	23.2
Cellulose, carboxymethyl ether	9000-11-7	618-326-2	2.6
Styrene-butadiene rubber 1500	9003-55-8	618-370-2	0.5
Graphite	7782-42-5	231-955-3	15.9
Carbon black	1333-86-4	215-609-9	0.7
Phosphate(1-), hexafluoro-, lithium	21324-40-3	244-334-7	10.2
Polyvinylidene fluoride resin	24937-79-9	607-458-6	7.4
Copper	7440-50-8	231-159-6	6.9
Aluminium	7429-90-5	231-072-3	3.6

Section 4 - First Aid Measures

Description of first aid measures

General information No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable extinguishing media:

Small Fire: Dry chemical, CO₂, water spray or regular foam. Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

PONY 谱尼测试
Pony Testing International Group
Hotline 400-819-5688 www.ponytest.com

Pony Testing Group, Shenzhen, P.R. China
Address: X.T. of Da Ming 1, Da Ming 1, Xixiangbei Suburb of Foshan, Foshan
Road, Nanhai District, Foshan City, Guangdong, China
Phone: 0757-23351989

北京分公司: (010) 82035000 杭州分公司: 0571-87350672 成都分公司: (028) 67522098 宁波分公司: 0574-87736499
深圳分公司: (0755) 83495561 无锡分公司: 0510-83892099 苏州分公司: 0512-83221003 常州分公司: 0519-82842474
青岛分公司: (0532) 82029988 郑州分公司: 0371-66841666 上海分公司: (021) 64801999 重庆分公司: (023) 26090933
济南分公司: (0531) 88706666 太原分公司: 0351-36577667 昆明分公司: (0871) 62997900 贵阳分公司: (0851) 20289966
天津分公司: (022) 23607888 西安分公司: 029-89606785 沈阳分公司: (024) 82299999 哈尔滨分公司: (0451) 27672229
长春分公司: (0431) 82530198 呼和浩特分公司: 0471-3252005 合肥分公司: (0551) 62997900 广州分公司: (020) 89224316
太原分公司: (0351) 22811888 石家庄分公司: 0311-85399000 武汉分公司: (027) 83997127 南宁分公司: (0771) 5518818
大连分公司: (0411) 87326618 呼和浩特分公司: 0471-3252005 武汉分公司: (027) 83997127 南宁分公司: (0771) 5518818
呼和浩特分公司: 0471-3252005 拉萨分公司: 0891-6322706 杭州分公司: (0571) 87219696



Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 4 of 11

Unsuitable extinguishing media:

No data available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature (>150°C (302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in close proximity.

Specific protective actions for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6 - Accidental Release Measures

Personal precautions:

As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. Keep unauthorized personnel away. Stay upwind, uphill and/or upstream. Ventilate closed spaces before entering. Large Spill: Consider initial downwind evacuation for at least 100 meters (330 feet).

Protective equipment:

No data available.

Emergency procedures:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch or walk through spilled material. Absorb with earth, sand or other non-combustible material. Leaking batteries and contaminated absorbent material should be placed in metal containers.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

For all waste handling must refer to United Nations, National and Local Regulations for disposal. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or



北京办事处: (010) 80355000	杭州办事处: 057184038678	无锡办事处: 0510 87702708	宁波办事处: 0574 87136499
天津办事处: (010) 80407661	郑州办事处: 0371 80942068	贵阳办事处: 0851 85221001	合肥办事处: 10551 62642474
武汉办事处: 1010 8502905	深圳办事处: 0075 76664186	上海办事处: 021 34631999	苏州办事处: 10755 26030939
青岛办事处: 10531 3670886	太原办事处: 0311 76515662	济南办事处: 0531 67597700	成都办事处: 028 62509946
大连办事处: 10221 2367825	西安办事处: 029 87608765	昆明办事处: 0871 62997900	重庆办事处: 023 69224313
长春办事处: 10431 85530190	烟台办事处: 0535 62997900	拉萨办事处: 0891 62997900	西安办事处: 029 87608765
沈阳办事处: 10241 2311825	呼和浩特办事处: 0471 345525	武汉办事处: 027 82218178	海口办事处: 10771 5518818
太原办事处: 10411 87306618	呼和浩特办事处: 0471 345525	武汉办事处: 027 82218178	海口办事处: 10771 5518818
北京办事处: 10431 85530190	烟台办事处: 0535 62997900	拉萨办事处: 0891 62997900	重庆办事处: 023 69224313
沈阳办事处: 10241 2311825	呼和浩特办事处: 0471 345525	武汉办事处: 027 82218178	海口办事处: 10771 5518818
太原办事处: 10411 87306618	呼和浩特办事处: 0471 345525	武汉办事处: 027 82218178	海口办事处: 10771 5518818
北京办事处: 10431 85530190	烟台办事处: 0535 62997900	拉萨办事处: 0891 62997900	重庆办事处: 023 69224313



Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 5 of 11

disassemble. Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long time of sunlight.

Section 8 - Exposure Controls/Personal Protection

Control parameters

CAS No.	ACGIH	NIOSH	OSHA
15365-14-7	N/A	N/A	N/A
7439-89-6	N/A	N/A	N/A
9000-11-7	N/A	N/A	N/A
9003-55-8	N/A	N/A	N/A
7782-42-5	TLV-TWA 2mg/m ³	REL-TWA 2.5mg/m ³	PEL-TWA 15mppcf PEL-TWA 20mppcf
1333-86-4	TLV-TWA 3mg/m ³	REL-TWA 3.5mg/m ³	PEL-TWA 3.5mg/m ³
21324-40-3	N/A	N/A	N/A
24937-79-9	N/A	N/A	N/A
7440-50-8	TLV-TWA 0.2mg/m ³ TLV-TWA 1mg/m ³	REL-TWA 1mg/m ³ REL-TWA 0.1mg/m ³	PEL-TWA 0.1mg/m ³ PEL-TWA 1mg/m ³
7429-90-5	TLV-TWA 1mg/m ³	REL-TWA 2mg/m ³ REL-TWA 5mg/m ³ REL-TWA 10mg/m ³	PEL-TWA 5mg/m ³ PEL-TWA 15mg/m ³

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment:

Respiratory protection: Wear suitable protective mask. For a large large number of battery leakages, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.



Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 6 of 11

Eye Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Colour:	Black.
Physical State:	Prismatic.
Odour:	Not available.
pH:	Not available.
Melting point/freezing point:	Not available.
Boiling point or initial boiling point and boiling range:	Not available.
Flash Point:	Not available.
Flammability:	Not available.
Solubility:	Not available.
Lower and upper explosion limit/flammability limit:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Kinematic viscosity:	Not available.
Partition coefficient: n-octanol/water (log value):	Not available.
Vapour pressure:	Not available.
Density and/or relative density:	Not available.
Relative vapour density:	Not available.
Particle characteristics:	Not available.
Other information:	
Voltage	12.8V
Electric capacity	10Ah
Electric Energy	128Wh

Section 10 - Stability and Reactivity

Reactivity: No data available.

Chemical stability: Stable.



Hotline 400-819-5688 www.ponytest.com

Pony Testing Group (Shenzhen) Co., Ltd.
Address: 1/F, #116, Ming 1 Building 1, Xixiangmen Industrial Park, Yaohua Road, Qixian Community, Baoan District, Shenzhen, Guangdong, China
Floor: 0715-2665000

北京分公司: (010) 83005520 杭州分公司: (0571) 89302670 成都分公司: (028) 87700758 宁波分公司: (0574) 87736499
 北京分公司中心: (010) 86115661 呼和浩特分公司: (0471) 6600000 重庆分公司: (023) 85221000 青岛分公司: (0532) 62042474
 长沙分公司: (010) 80492898 南通分公司: (0291) 66341385 上海分公司: (021) 64881999 苏州分公司: (0512) 26050928
 南京分公司: (025) 86106866 西安分公司: (029) 89376560 苏州分公司: (0512) 62997900 深圳分公司: (0755) 26000906
 天津分公司: (022) 23607888 西安分公司: (029) 89608788 苏州分公司: (0512) 62997900 佛山分公司: (0755) 27632034
 长春分公司: (0431) 80530195 成都分公司: (028) 82260000 烟台分公司: (0535) 62997900 广州分公司: (020) 89224310
 沈阳分公司: (024) 22011006 烟台分公司: (0535) 62260000 天津分公司: (022) 62997900 南宁分公司: (0771) 5518818
 大连分公司: (0411) 87334510 呼和浩特分公司: (0471) 340000 武汉分公司: (027) 82318178 厦门分公司: (0592) 5568048
 青岛分公司: (0532) 58627755 成都分公司: (028) 87700758 杭州分公司: (0571) 87219095



Pony Testing International Group

Report No.: MR12B1CG3004997U3 Date: 2023-03-30 Page 7 of 11

Possibility of hazardous reactions: No data available.**Conditions to Avoid:** Flames, sparks, and other sources of ignition, incompatible materials.**Incompatible materials:** Oxidizing agents, acid base.**Hazardous decomposition products:** Carbon monoxide, carbon dioxide, lithium oxide fumes.

Section 11 - Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50
15365-14-7	No data available.
7439-89-6	No data available.
9000-11-7	No data available.
9003-55-8	No data available.
7782-42-5	No data available.
1333-86-4	No data available.
21324-40-3	No data available.
24937-79-9	No data available.
7440-50-8	No data available.
7429-90-5	No data available.

Skin corrosion/irritation: No data available.**Serious eye damage/irritation:** No data available.**Respiratory or Skin sensitization:** No data available.**Germ Cell mutagenicity:** No data available.**Carcinogenicity:** No data available.**Reproductive toxicity:** No data available.**Specific target organ toxicity-Single exposure:** No data available.**Specific target organ toxicity-Repeated exposure:** No data available.**Aspiration hazard:** No data available.**Information on the likely routes of exposure:** No data available.**Eye:** No data available.**Skin:** No data available.**Ingestion:** No data available.**Inhalation:** No data available.



Section 12 - Ecological Information

Ecological Toxicity: No data available.

Persistence and degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: No data available.

Section 13 - Disposal Considerations

Disposal methods:


Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

Section 14 - Transport Information

UN or ID Number	
IATA	UN3480
IMDG	UN3480
Proper Shipping Name/Description	
IATA	Lithium ion batteries
IMDG	LITHIUM ION BATTERIES
Class or Div. (Sub Hazard)	
IATA	9
IMDG	9
Packing Group	
IATA	N/A
IMDG	N/A
Hazard Label	
IATA	
IMDG	
Environmental hazards	
Marine pollutant:	No



Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 9 of 11

IMDG EmS:	F-A, S-I
Special precautions for user	No information available.

Transport information: The LiFePO₄ Battery Pack TPBAT12-10-L has passed the test UN38.3, according to the report ID: MRIOTWWG2850207U5.

Watt-hour exceeds the standard. The goods are packaged according to the packaging Instruction 965 section IA of IATA DGR 64th Edition for transportation, Cargo aircraft only.

Watt-hour exceeds the standard. The goods are packaged according to the special provision 230, 348, 384 of IMDG (40-20).

Separate batteries to prevent short-circuiting, and they should be packed in strong package during transport. Lithium cell or battery should incorporate a safety venting device or be designed to prevent a violent rupture under normal transport conditions. Keep away from high temperature and open flames.

Note: State of Charge (SoC) not exceeding 30% of their rated capacity. (By air, Lithium ion batteries)

Transport Fashion: By air, by sea.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
15365-14-7	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed
9000-11-7	Listed	Listed	Listed DSL	Listed
9003-55-8	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
1333-86-4	Listed	Listed	Listed DSL	Listed
21324-40-3	Listed	Listed	Listed DSL	Listed
24937-79-9	Listed	Listed	Listed DSL	Listed



Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 10 of 11

7440-50-8	Listed	Listed	Listed DSL	Listed
7429-90-5	Listed	Listed	Listed DSL	Listed

Section 16 - Other Information

Issue Date: 2023-03-30

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-short time exposure limit);

PC-TWA: (Permissible concentration-time weighted average);

IARC: (International Agency for Research on Cancer);

LC50: (Lethal concentration, 50 percent kill);

LD50: (Lethal dose, 50 percent kill);

EC50: (Median effective concentration);

BCF: (Bioconcentration Factor);

BOD: (Biochemical oxygen demand);

IECSC: (Inventory of Existing Chemical Substances in China);

NOEC: (No observed effect concentration);

NTP: (US National Toxicology Program);



Hotline: 400-819-5688 www.ponytest.com

Pony Testing Group (Shanghai) Co., Ltd.
Address: 101, Building 2, Building 1, Xinhua Road, Yangpu District, Shanghai, China
Phone: 8621-29089999

北京分公司: (010) 80125030	杭州分公司: (0571) 56935070	成都分公司: (028) 8702758	宁波分公司: (0574) 87756499
北京分公司: (010) 80125030	佛山分公司: (0757) 8960709	常州分公司: (0519) 85221091	金华分公司: (0579) 85945474
长沙分公司: (010) 8292996	成都分公司: (028) 115554185	上海分公司: (021) 64851995	深圳分公司: (0755) 26020929
青岛分公司: (0532) 8979996	大连分公司: (0411) 139126650	苏州分公司: (0512) 62997903	烟台分公司: (0535) 26009096
天津分公司: (022) 23607888	西安分公司: (029) 89593785	惠州分公司: (0752) 82997903	肇庆分公司: (0758) 27673339
石家庄分公司: (0311) 85331198	贵阳分公司: (0851) 123903	南通分公司: (0513) 62997903	广州分公司: (020) 89224210
沈阳分公司: (024) 22811886	郑州分公司: (0371) 8529973	武汉分公司: (027) 62997127	南宁分公司: (0771) 5510616
大连分公司: (0411) 87336610	呼和浩特分公司: (0471) 3458035	长沙分公司: (022) 80318175	厦门分公司: (0592) 5556646
青岛分公司: (0431) 80627255	太原分公司: (0351) 87763728	杭州分公司: (0571) 87519978	



Pony Testing International Group

Report No.: MRI2B1CG3004997U3 Date: 2023-03-30 Page 11 of 11

- RTECS: (Registry of Toxic Effects of Chemical Substances);
- TOC: (Total Organic Carbon);
- TSCA: (Toxic Substances Control Act of USA);
- DSL: (the Domestic Substances List of Canada);
- NDSL: (the Non-domestic Substances List of Canada);
- IATA: (International Air Transport Association);
- IMDG: (International Maritime Dangerous Goods);
- TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations)

End of report